



Manufacturer of Brass Instruments  
Made in Germany

CATALOG

---

# TUBA & EUPHONIUM

- USA -


2019/05

# MIRAPHONE - The Company with High End Brass Instruments

With the development and production of brass instruments in Waldkraiburg, Germany, we continue the tradition, experience and masterful craftsmanship of our founding fathers. The tradition-rich knowledge and experience of more than 100 years has been combined with the contemporary assistance of modern technology.

Many of our handcraftsman are themselves passionate musicians, adhering to very high standards and requirements. Artists and musicians the world over have come to appreciate the easy response and the exceptional intonation of the instruments.

Not one of our instruments leaves Miraphone's production facilities if we are not wholly convinced of its flawless quality. With this credo Miraphone has considerably contributed to the world of bands and orchestras since its foundation in 1946.



Instruments „made by Miraphone“ stand for highest quality and outstanding sound now and in future

- All parts are 100 % hand-made by Miraphone in Waldkraiburg, Germany
- Distinguished technical know-how and extensive handcraft knowledge
- We use high quality, handselected and proofed materials
- Individualized preferences or customizations may be available upon request
- Lifetime parts support

# Index:

|   |                                       |       |
|---|---------------------------------------|-------|
| Professional Rotary BBb Tubas           | Miraphone BBb Tuba 186                | 2     |
|   | Miraphone BBb Tuba 191                | 3     |
|   | Miraphone BBb Tuba 187                | 4     |
|   | Miraphone BBb Tuba 282                | 5     |
|   | Miraphone BBb Tuba 495 Hagen          | 6     |
|   | Miraphone BBb Tuba 496 Hagen          | 7     |
|   | Miraphone BBb Tuba 497 Hagen          | 8     |
|   | Miraphone BBb Tuba 98 Siegfried       | 9     |
|   | Overview BBb Rotary Tubas             | 10    |
| Professional Piston BBb Tubas           | Miraphone BBb Tuba 1291               | 11    |
|   | Miraphone BBb Tuba 1272               | 12    |
|   | Miraphone BBb Tuba M9000              | 13    |
|   | Overview BBb Piston Tubas             | 14    |
| Professional Rotary and Piston CC Tubas | Miraphone CC Tuba 188                 | 15    |
|   | Miraphone CC Tuba 186                 | 16    |
|   | Miraphone CC Tuba Bruckner 291        | 17    |
|   | Miraphone CC Tuba 184                 | 18    |
|   | Miraphone CC Tuba 1291                | 19    |
|   | Miraphone CC Tuba 1292 New Yorker     | 20    |
|   | Miraphone CC Tuba 1293                | 21    |
|   | Overview CC Rotary and Piston Tubas   | 22    |
| Professional Rotary F Tubas             | Miraphone F Tuba Firebird 281         | 23    |
|   | Miraphone F Tuba Elektra 481          | 24    |
|   | Miraphone F Tuba Belcanto 181         | 25    |
| Professional Piston F Tubas             | Miraphone F Tuba Petruschka 1281      | 26    |
| Professional Rotary EEb Tubas           | Miraphone EEb Tuba Norwegian Star 283 | 27    |
|   | Miraphone EEb Tuba Starlight 383      | 28    |
| Professional Piston EEb Tubas           | Miraphone EEb Tuba M7050              | 29    |
|   | Overview: F and EEb Tubas             | 30    |
| Professional Euphoniums                 | Miraphone Euphonium 1258A             | 31    |
|   | Miraphone Euphonium M5000             | 32    |
|   | Miraphone Euphonium M5050             | 33    |
|   | Miraphone Euphonium 1255L             | 34    |
|   | Overview: Euphoniums                  | 35    |
| Mouthpieces                             |                                       | 36-37 |
| Cases                                   |                                       | 38-39 |
| Gigbags                                 |                                       | 40-41 |

# Professional Rotary BBb Tubas

## Miraphone BBb Tuba 186, 4/4, 4 or 5 Valves



The epitome of BBb tubas is the first choice of fine concert bands everywhere. Known throughout the world for its resounding tone and precise intonation, the 186-4U 4/4-size has long been the standard of comparison for other BBb tubas and is the bestselling allround model among all rotary valve tubas.

|                       |   |
|-----------------------|---|
| Tuning                | BBb   |
| Size                  | 4/4   |
| Bell diameter         | 450 mm (17,717 inch)                              |
| Lever system          | spiral spring system                              |
| Rod                   | Miraphone minibal rod                             |
| Valve system          | rotary valves                                     |
| Bore of valve section | 19,6 mm (0,772 inch)                              |
| Lyre holder           | with lyre holder                                  |
| Strap ring            | with strap ring                                   |
| Mouthpiece            | TU29  |
| Total height          | 1010 mm / 39,764 inch                             |
| Total weight          | 4V: 9,70 kg / 21,38 lb<br>5V: 10,34 kg / 22,80 lb |
| Case - Item No.       | 00351E170189                                      |
| Gigbag- Item No.      | 00351G170102                                      |

Fig.: 170086A07000500

Model 186 with 4 Valves:

170086A07000500 4V / yellow brass body / lacquered

170086A07020500 4V / yellow brass body / silver plated

170086A11000500 4V / gold brass body / lacquered

Model 186 with 5 Valves:

170086B07000500 5V / yellow brass body / lacquered

Please notice: All models include matched Miraphone mouthpieces and accessories kits. Cases and gigbags are extra.

# Professional Rotary BBb Tubas

## Miraphone BBb Tuba 191, 5/4, 4 or 5 Valves



The Miraphone Tuba BBb model 191 is a compact 5/4-size instrument, designed to be easier to carry. Even though this tuba has a big bore, it is easy to play with a large sound.

|                       |  |
|-----------------------|--|
| Tuning                | BBb  |
| Size                  | 5/4 size compact                                   |
| Bell diameter         | 470 mm (18,504 inch)                               |
| Lever system          | spiral spring system                               |
| Rod                   | Miraphone minibal rod                              |
| Valve system          | rotary valves                                      |
| Bore of valve section | 21,2 mm (0,835 inch)                               |
| Lyre holder           | with lyre holder                                   |
| Strap ring            | with strap ring                                    |
| Mouthpiece            | TU33   |
| Total height          | 925 mm / 36,417 inch                               |
| Total weight          | 4V: 10,04 kg / 22,13 lb<br>5V: 10,48 kg / 23,10 lb |
| Case - Item No.       | 00351E380233                                       |
| Gigbag- Item No.      | 00351G170103                                       |

Fig.: 170091A07000500

### Model 191 with 4 Valves:

170091A07000500 4V / yellow brass body / lacquered  
170091A07020500 4V / yellow brass body / silver plated  
170091A11000500 4V / gold brass body / lacquered

### Model 191 with 5 Valves:

170091B07000500 5V / yellow brass body / lacquered  
170091B07020500 5V / yellow brass body / silver plated  
170091B11000500 5V / gold brass body / lacquered

Please notice: All models include matched Miraphone mouthpieces and accessories kits. Cases and gigbags are extra.

# Professional Rotary BBb Tubas

## Miraphone BBb Tuba 187, 4/4 wide, 4 or 5 Valves



The 187 is similar to the 186, except the taper on the body opens faster and larger, to produce a bigger, fuller and darker sound.

|                       |  |
|-----------------------|--|
| Tuning                | BBb  |
| Size                  | 4/4 wide   |
| Bell diameter         | 450 mm (17,717 inch)                               |
| Lever system          | spiral spring system                               |
| Rod                   | Miraphone minibal rod                              |
| Valve system          | rotary valves                                      |
| Bore of valve section | 19,6 mm (0,772 inch)                               |
| Lyre holder           | with lyre holder                                   |
| Strap ring            | with strap ring                                    |
| Mouthpiece            | TU31   |
| Total height          | 1005 mm / 39,567 inch                              |
| Total weight          | 4V: 10,00 kg / 22,05 lb<br>5V: 10,70 kg / 23,59 lb |
| Case - Item No.       | 00351E170192                                       |
| Gigbag- Item No.      | 00351G170102                                       |

Fig.: 170087A07000500

Model 187 with 4 Valves:  
170087A07000500 4V / yellow brass body / lacquered  
170087A11000500 4V / gold brass body / lacquered

Model 187 with 5 Valves:  
170087B11000500 5V / gold brass body / lacquered

Please notice: All models include matched Miraphone mouthpieces and accessories kits. Cases and gigbags are extra.

# Professional Rotary BBb Tubas

## Miraphone BBb Tuba 282, 3/4 wide, 4 Valves



The 3/4 size BBb tuba 282 is ideal for players who prefer the agility of a 3/4 size instrument yet retain a big sound. Consider this instrument, if you want a 3/4 size tuba for your medium or smaller ensemble.

|                       |   |
|-----------------------|---|
| Tuning                | BBb                                       |
| Size                  | 3/4                                       |
| Bell diameter         | 420 mm (16,535 inch)                      |
| Lever system          | spiral spring system                      |
| Rod                   | Miraphone minibal rod                     |
| Valve system          | rotary valves                             |
| Bore of valve section | conical 19,6- 20,4 mm (0,772- 0,803 inch) |
| Lyre holder           | with lyre holder                          |
| Strap ring            | with strap ring                           |
| Mouthpiece            | TU15                                      |
| Total height          | 930 mm / 36,614 inch                      |
| Total weight          | 8,80 kg / 19,40 lb                        |
| Case - Item No.       | 00351E170185                              |
| Gigbag- Item No.      | 00351G150100                              |

Fig.: 170282A07000500

170282A07000500 4V / yellow brass body / lacquered  
170282A11000 4V / goldbrass body / lacquered

Please notice: All models include matched Miraphone mouthpieces and accessories kits. Cases and gigbags are extra.

# Professional Rotary BBb Tubas

## Miraphone BBb Tuba 495 Hagen, 4/4, 4 Valves



The Hagen 495, 4/4-size boasts a large volume of sound. The ergonomic proportioning of this tuba is ideal for smaller symphony orchestras, ensembles, chamber music settings as well as for school bands. The 495 produces a fuller low range and clearer sound in comparison to the tubas 186 or 187.

|                       |                       |
|-----------------------|-----------------------|
| Tuning                | BBb                   |
| Size                  | 4/4 wide              |
| Bell diameter         | 450 mm (17,717 inch)  |
| Lever system          | spiral spring system  |
| Rod                   | Miraphone minibal rod |
| Valve system          | rotary valves         |
| Bore of valve section | 19,6 mm (0,772 inch)  |
| Lyre holder           | with lyre holder      |
| Strap ring            | with strap ring       |
| Mouthpiece            | TU29                  |
| Total height          | 1000 mm / 39,370 inch |
| Total weight          | 10,00 kg / 22,05 lb   |
| Case - Item No.       | 00351E170204          |
| Gigbag- Item No.      | 00351G170102          |

Fig.: 170495A07000

|                 |  |
|-----------------|--|
| 170495A07000    | 4V / yellow brass body / lacquered                         |
| 170495A07000720 | 4V / yellow brass body / lacquered / incl. case and gigbag |
| 170495A11000    | 4V / gold brass body / lacquered                           |

Please notice: All models include matched Miraphone mouthpieces and accessories kits. Cases and gigbags are extra.

# Professional Rotary BBb Tubas

## Miraphone BBb Tuba 496 Hagen, 5/4, 4 Valves



The Hagen 496 5/4-size has a typical German BBb tuba sound with balanced intonation, excellent response in all registers and boasts flexibility and a unique playability.

This tuba is used in military bands, symphony orchestras as well as in bigger school bands.

|                       |                       |
|-----------------------|-----------------------|
| Tuning                | BBb                   |
| Size                  | 5/4                   |
| Bell diameter         | 450 mm (17,717 inch)  |
| Lever system          | spiral spring system  |
| Rod                   | Miraphone minibal rod |
| Valve system          | rotary valves         |
| Bore of valve section | 21,2 mm (0,835 inch)  |
| Lyre holder           | with lyre holder      |
| Strap ring            | with strap ring       |
| Mouthpiece            | TU43                  |
| Total height          | 1035 mm / 40,748 inch |
| Total weight          | 10,40 kg / 22,93 lb   |
| Case - Item No.       | 00351E170203          |
| Gigbag- Item No.      | 00351G170102          |

Fig.: 170496A07000

### Model 496 with 4 Valves:

|                 |  |
|-----------------|--|
| 170496A07000    | 4V / yellow brass body / lacquered                         |
| 170496A07000720 | 4V / yellow brass body / lacquered / incl. case and gigbag |
| 170496A07020    | 4V / yellow brass body / silver plated                     |
| 170496A11000    | 4V / gold brass body / lacquered                           |

### Model 496 with 5 Valves:

|              |  |
|--------------|--|
| 170496B07000 | 5V / yellow brass body / lacquered     |
| 170496B07020 | 5V / yellow brass body / silver plated |

Please notice: All models include matched Miraphone mouthpieces and accessories kits. Cases and gigbags are extra.

# Professional Rotary BBb Tubas

## Miraphone BBb Tuba 497 Hagen, 6/4, 4 Valves



When one is seeking the utmost sound from a Miraphone - the Hagen 497 6/4-size is the choice. The instrument produces a truly large, glorious sound, with unmatched evenness of projection.

A tuba for symphony orchestras, military bands and concert bands which prefer a big BBb tuba sound.

|                       |   |
|-----------------------|---|
| Tuning                | BBb                                     |
| Size                  | 6/4                                     |
| Bell diameter         | 480 mm (18,898 inch)                    |
| Lever system          | spiral spring system                    |
| Rod                   | Miraphone minibal rod                   |
| Type of valve         | vented valves for pressure compensation |
| Valve system          | rotary valves                           |
| Bore of valve section | 21,2 mm (0,835 inch)                    |
| Lyre holder           | without lyre holder                     |
| Strap ring            | without strap ring                      |
| Mouthpiece            | TU43                                    |
| Total height          | 1000 mm / 39,370 inch                   |
| Total weight          | 10,80 kg / 23,81 lb                     |
| Case - Item No.       | 00351E170198                            |
| Gigbag- Item No.      | 00351G170104                            |

Fig.: 170497A07020

170497A07000 4V / yellow brass body / lacquered  
170497A07020 4V / yellow brass body / silver plated

Please notice: All models include matched Miraphone mouthpieces and accessories kits. Cases and gigbags are extra.

# Professional Rotary BBb Tubas

## Miraphone BBb Tuba 98 Siegfried, 6/4, 5 Valves



The 98 Siegfried 6/4-size tuba is an impeccable professional instrument. It has a mellower and darker sound than the Hagen 497. It comes standard as a 5 valve instrument.

|                       |                       |
|-----------------------|-----------------------|
| Tuning                | BBb                   |
| Size                  | 6/4                   |
| Bell diameter         | 500 mm (19,685 inch)  |
| Lever system          | spiral spring system  |
| Rod                   | Miraphone minibal rod |
| Valve system          | rotary valves         |
| Bore of valve section | 21,2 mm (0,835 inch)  |
| Lyre holder           | without lyre holder   |
| Strap ring            | without strap ring    |
| Mouthpiece            | TU42                  |
| Total height          | 1020 mm / 40,157 inch |
| Total weight          | 12,04 kg / 26,54 lb   |
| Case - Item No.       | 00351E170198          |
| Gigbag- Item No.      | 00351G170104          |

Fig.: 170098B07020

170098B07000 5V / yellow brass body / lacquered  
170098B07020 5V / yellow brass body / silver plated

Please notice: All models include matched Miraphone mouthpieces and accessories kits. Cases and gigbags are extra.

# Professional Rotary BBb Tubas

## Specifications for Miraphone BBb-Tubas with Rotary Valves:

|                                 | bell                    | bore  | weight   | height                   | size           | valves | nickel<br>silver<br>wreath |
|---------------------------------|-------------------------|---|--|--------------------------|----------------|--------|----------------------------|
| Miraphone Tuba BBb 186          | 450 mm<br>(17,717 inch) | 19,6 mm<br>(0,772 inch)                         | 4V: 9,70 kg / 21,38 lb<br>5V: 10,34 kg / 22,80 lb  | 1010 mm /<br>39,764 inch | 4/4            | 4 or 5 | yes                        |
| Miraphone Tuba BBb 191          | 470 mm<br>(18,504 inch) | 21,2 mm<br>(0,835 inch)                         | 4V: 10,04 kg / 22,13 lb<br>5V: 10,48 kg / 23,10 lb | 925 mm /<br>36,417 inch  | 5/4<br>compact | 4 or 5 | yes                        |
| Miraphone Tuba BBb 187          | 450 mm<br>(17,717 inch) | 19,6 mm<br>(0,772 inch)                         | 4V: 10,00 kg / 22,05 lb<br>5V: 10,70 kg / 23,59 lb | 1005 mm /<br>39,567 inch | 4/4<br>wide    | 4 or 5 | yes                        |
| Miraphone Tuba BBb 282          | 420 mm<br>(16,535 inch) | conical<br>19,6- 20,4 mm<br>(0,772- 0,803 inch) | 4V: 8,80 kg / 19,40 lb                             | 930 mm /<br>36,614 inch  | 3/4            | 4      | yes                        |
| Miraphone Tuba Hagen BBb 495    | 450 mm<br>(17,717 inch) | 19,6 mm<br>(0,772 inch)                         | 10,00 kg / 22,05 lb                                | 1000 mm /<br>39,370 inch | 4/4<br>wide    | 4      | no                         |
| Miraphone Tuba Hagen BBb 496    | 450 mm<br>(17,717 inch) | 21,2 mm<br>(0,835 inch)                         | 10,40 kg / 22,93 lb                                | 1035 mm /<br>40,748 inch | 5/4            | 4      | no                         |
| Miraphone Tuba Hagen BBb 497    | 480 mm<br>(18,898 inch) | 21,2 mm<br>(0,835 inch)                         | 10,80 kg / 23,81 lb                                | 1000 mm /<br>39,370 inch | 6/4            | 4      | no                         |
| Miraphone Tuba Siegfried BBb 98 | 500 mm<br>(19,685 inch) | 21,2 mm<br>(0,835 inch)                         | 12,04 kg / 26,54 lb                                | 1020 mm /<br>40,157 inch | 6/4            | 5      | yes                        |



# Professional Piston BBb Tubas

## Miraphone BBb Tuba 1291, 5/4 compact, 4 or 5 Valves



The BBb tuba 1291 with a compact design is the piston equivalent to the Miraphone 191 rotary series. It is superb for large ensembles and big stages.

Major concert halls are no match for the efficient sound projection of this compact 5/4 size tuba. In the lower range, the sound is extremely open and centered. The free-floating leadpipe supports the large, clear and focused sound with very good intonation.

|                       |  |
|-----------------------|--|
| Tuning                | BBb  |
| Size                  | 5/4 size compact                                   |
| Bell diameter         | 470 mm (18,504 inch)                               |
| Valve system          | piston valves (front-action)                       |
| Style valve section   | 5th rotary valve as big style                      |
| Bore of valve section | 21,2 mm (0,835 inch)                               |
| Lyre holder           | without lyre holder                                |
| Strap ring            | without strap ring                                 |
| Mouthpiece            | TU33   |
| Total height          | 925 mm / 36,417 inch                               |
| Total weight          | 4V: 10,10 kg / 22,27 lb<br>5V: 10,50 kg / 23,15 lb |
| Case - Item No.       | 00351E380233                                       |
| Gigbag- Item No.      | 00351G170103                                       |

Fig.: 381291413000500

Model 1291 with 4 Valves:

381291413000500 4V / yellow brass body / lacquered

381291415000500 4V / yellow brass body / silver plated

Model 1291 with 5 Valves:

381291513000500 5V / yellow brass body / lacquered

381291515000500 5V / yellow brass body / silver plated

Please notice: All models include matched Miraphone mouthpieces and accessories kits. Cases and gigbags are extra.

# Professional Piston BBb Tubas

## Miraphone BBb Tuba 1272, 3/4, 4 Valves



The 1272 is a smaller BBb tuba. It uses the same size body as the Miraphone 282 BBb tuba, but features piston valves instead of rotary valves. With the 1272, you get a well centered low range.

The compact size is nice for travelling, stand up work, small orchestra pits, or just for musicians who do not care to be overwhelmed by a large oversize tuba.

|                       |  |
|-----------------------|--|
| Tuning                | BBb                                      |
| Size                  | 3/4                                      |
| Bell diameter         | 420 mm (16,535 inch)                     |
| Valve system          | piston valves (front-action)             |
| Bore of valve section | conical 18,8- 19,6 mm (0,74- 0,772 inch) |
| Lyre holder           | with lyre holder                         |
| Strap ring            | with strap ring                          |
| Mouthpiece            | TU17                                     |
| Total height          | 940 mm / 37,008 inch                     |
| Total weight          | 8,20 kg / 18,08 lb                       |
| Case - Item No.       | 00351E380231                             |
| Gigbag- Item No.      | 00351G150100                             |

Fig.: 381272413000

|              |  |
|--------------|--|
| 381272413000 | 4V / yellow brass body / lacquered     |
| 381272415000 | 4V / yellow brass body / silver plated |

Please notice: All models include matched Miraphone mouthpieces and accessories kits. Cases and gigbags are extra.

# Professional Piston BBb Tubas

## Miraphone BBb Tuba M9000, 5/4, compensated



Fig.: 39M9000130006UK

The M9000 Ambassador is especially designed for brass bands. Herein lies a real challenge as the musicians in the homeland of brass bands have very specific requirements for their instruments.

The M9000 Ambassador masters the most demanding prerequisites with a brilliant sound and technical features. The M9000 is a 3+1 piston valve, compensating instrument.

|                       |   |
|-----------------------|---|
| Tuning                | BBb                                       |
| Size                  | 5/4                                       |
| Bell diameter         | 500 mm (19,685 inch)                      |
| Valve system          | piston valves                             |
| Bore of valve section | conical 19,6- 20,4 mm (0,772- 0,803 inch) |
| Lyre holder           | with lyre holder                          |
| Strap ring            | with strap ring                           |
| Mouthpiece            | TU33                                      |
| Total height          | 1010 mm / 39,764 inch                     |
| Total weight          | 11,60 kg / 25,57 lb                       |
| Case - Item No.       | 00351E380232                              |
| Gigbag- Item No.      | 00351G390100                              |

39M9000130006UK  
39M9000150006UK

compensated / yellow brass body / lacquered  
compensated / yellow brass body / silver plated

Please notice: All models include matched Miraphone mouthpieces and accessories kits. Cases and gigbags are extra.

# Professional Piston BBb Tubas

## Specifications for Miraphone BBb-Tubas with Piston Valves

|   | bell                    | bore  | weight   | height                   | size                | valves                | nickel<br>silver<br>wreath |
|---|-------------------------|---|--|--------------------------|---------------------|-----------------------|----------------------------|
| Miraphone Tuba BBb 1291<br>Piston       | 470 mm<br>(18,504 inch) | 21,2 mm<br>(0,835 inch)                         | 4V: 10,10 kg / 22,27 lb<br>5V: 10,50 kg / 23,15 lb | 925 mm /<br>36,417 inch  | 5/4<br>com-<br>pact | 4-5                   | no                         |
| Miraphone Tuba BBb 1272<br>Piston       | 420 mm<br>(16,535 inch) | conical<br>18,8- 19,6 mm<br>(0,74- 0,772 inch)  | 8,20 kg / 18,08 lb                                 | 940 mm /<br>37,008 inch  | 3/4                 | 4                     | no                         |
| Miraphone Tuba BBb M9000<br>compensated | 500 mm<br>(19,685 inch) | conical<br>19,6- 20,4 mm<br>(0,772- 0,803 inch) | 11,60 kg / 25,57 lb                                | 1010 mm /<br>39,764 inch | 5/4                 | com-<br>pensa-<br>ted | no                         |



# Professional Rotary CC Tubas

## Miraphone CC Tuba 188, 4/4 wide, 5 Valves



The 188-5U CC tuba is the dream of aspiring and professional tubists. Designed as the super 4/4 size tuba, it is universally able to be used in large and small ensembles as well as orchestral and solo performances. With the bigger body you get more sound out of the horn in comparison to the CC-186. The clear sound, response and fine intonation define the CC 188-5U.

|                       |                       |
|-----------------------|-----------------------|
| Tuning                | C                     |
| Size                  | 4/4 wide              |
| Bell diameter         | 450 mm (17,717 inch)  |
| Lever system          | spiral spring system  |
| Rod                   | Miraphone minibal rod |
| Valve system          | rotary valves         |
| Bore of valve section | 19,6 mm (0,772 inch)  |
| Lyre holder           | with lyre holder      |
| Strap ring            | with strap ring       |
| Mouthpiece            | TU23                  |
| Total height          | 960 mm / 37,795 inch  |
| Total weight          | 9,82 kg / 21,65 lb    |
| Case - Item No.       | 00351E180206          |
| Gigbag- Item No.      | 00351G170102          |

Fig.: 180088007000501

|                 |   |
|-----------------|---|
| 180088007000501 | 5V / yellow brass body / lacquered      |
| 180088007020501 | 5V / yellow brass body / silver plated  |
| 180088011000501 | 5V / yellow gold brass body / lacquered |

Please notice: All models include matched Miraphone mouthpieces and accessories kits. Cases and gigbags are extra.

# Professional Rotary CC Tubas

## Miraphone CC Tuba 186, 4/4, 4 or 5 Valves



The 186 CC is about the best all-around tuba in the world. A classic sound, response and intonation with solid construction. For many tubists, this is still their main instrument, in some cases for more than 40 years.

|                       |   |
|-----------------------|---|
| Tuning                | C   |
| Size                  | 4/4   |
| Bell diameter         | 450 mm (17,717 inch)                              |
| Lever system          | spiral spring system                              |
| Rod                   | Miraphone minibal rod                             |
| Valve system          | rotary valves                                     |
| Bore of valve section | 19,6 mm (0,772 inch)                              |
| Lyre holder           | with lyre holder                                  |
| Strap ring            | with strap ring                                   |
| Mouthpiece            | TU21  |
| Total height          | 1000 mm / 39,370 inch                             |
| Total weight          | 4V: 9,66 kg / 21,30 lb<br>5V: 10,06 kg / 22,18 lb |
| Case - Item No.       | 00351E180204                                      |
| Gigbag- Item No.      | 00351G170102                                      |

Fig.: 180086B07000500

### Model 186 with 4 Valves:

180086A07000500 4V / yellow brass body / lacquered  
180086A11000500 4V / yellow gold brass body / lacquered

### Model 186 with 5 Valves:

180086B07000500 5V / yellow brass body / lacquered  
180086B07020500 5V / yellow brass body / silver plated  
180086B11000500 5V / gold brass body / lacquered

Please notice: All models include matched Miraphone mouthpieces and accessories kits. Cases and gigbags are extra.

# Professional Rotary CC Tubas

## Miraphone CC Tuba Bruckner 291, 5/4 compact, 5 Valves



The CC tuba 291 Bruckner was planned and developed to be a consequent rotary valved complement to the 1291/1292 series of Miraphone CC tubas.

The Bruckner connects the traditional sound of German contrabass tubas in BBb with the popular characteristics of the CC tubas preferred by the brass sections of international orchestras.

|                       |   |
|-----------------------|---|
| Tuning                | C   |
| Size                  | 5/4 compact                               |
| Bell diameter         | 470 mm (18,504 inch)                      |
| Lever system          | spiral spring system                      |
| Rod                   | Miraphone minibal rod                     |
| Valve system          | rotary valves                             |
| Bore of valve section | conical 20,4- 21,2 mm (0,803- 0,835 inch) |
| Lyre holder           | without lyre holder                       |
| Strap ring            | without strap ring                        |
| Mouthpiece            | TU31                                      |
| Total height          | 925 mm / 36,417 inch                      |
| Total weight          | 9,88 kg / 21,78 lb                        |
| Case - Item No.       | 00351E360234                              |
| Gigbag- Item No.      | 00351G170103                              |

Fig.: 180291B11000

|                 |  |
|-----------------|--|
| 180291B07000    | 5V / yellow brass body / lacquered                         |
| 180291B07000720 | 5V / yellow brass body / lacquered / incl. case and gigbag |
| 180291B07020    | 5V / yellow brass body / silver plated                     |
| 180291B11000    | 5V / gold brass body / lacquered                           |

Please notice: All models include matched Miraphone mouthpieces and accessories kits. Cases and gigbags are extra.

# Professional Rotary CC Tubas

## Miraphone CC Tuba 184, 1/2, 4 or 5 Valves



The CC-184 tuba is popular for small ensembles and brass quintet performances.

Its size makes it very desirable for many applications involving great control in such areas as modern music and technical transcriptions. This tuba is the perfect match with woodwind or string instruments.

|                       |  |
|-----------------------|--|
| Tuning                | C  |
| Size                  | 1/2  |
| Bell diameter         | 380 mm (14,961 inch)                             |
| Lever system          | spiral spring system                             |
| Rod                   | Miraphone minibal rod                            |
| Valve system          | rotary valves                                    |
| Bore of valve section | 18,0 mm (0,709 inch)                             |
| Lyre holder           | with lyre holder                                 |
| Strap ring            | with strap ring                                  |
| Mouthpiece            | TU21   |
| Total height          | 940 mm / 37,008 inch                             |
| Total weight          | 4V: 7,55 kg / 16,64 lb<br>5V: 7,90 kg / 17,42 lb |
| Case - Item No.       | 00351E180183                                     |
| Gigbag- Item No.      | 00351G150100                                     |

Fig.: 180084B07000500

Model 184 with 4 Valves:  
180084A07000500 4V / yellow brass body / lacquered

Model 184 with 5 Valves:  
180084B07000500 5V / yellow brass body / lacquered

Please notice: All models include matched Miraphone mouthpieces and accessories kits. Cases and gigbags are extra.

# Professional Piston CC Tubas

## Miraphone CC Tuba 1291, 5/4 compact, 5 Valves



The Miraphone CC 1291 5V piston tuba is a horn that literally does it all. Having a great sound and a great feel and having a low register that is focused and easy to play.

The very rich sound in the high register will usually convince every player that this is the compact 5/4-size tuba for them.

|                       |   |
|-----------------------|---|
| Tuning                | C   |
| Size                  | 5/4 compact                               |
| Bell diameter         | 470 mm (18,504 inch)                      |
| Type of valve         | vented valves for pressure compensation   |
| Valve system          | piston valves (front-action)              |
| Style valve section   | 5th valve = rotary valve                  |
| Bore of valve section | conical 19,6- 21,2 mm (0,772- 0,835 inch) |
| Lyre holder           | without lyre holder                       |
| Strap ring            | without strap ring                        |
| Mouthpiece            | TU31                                      |
| Total height          | 925 mm / 36,417 inch                      |
| Total weight          | 10,52 kg / 23,19 lb                       |
| Case - Item No.       | 00351E360234                              |
| Gigbag- Item No.      | 00351G170103                              |

Fig.: 361291515000443

361291513000 5V / yellow brass body / lacquered  
361291515000 5V / yellow brass body / silver plated

Please notice: All models include matched Miraphone mouthpieces and accessories kits. Cases and gigbags are extra.

# Professional Piston CC Tubas

## Miraphone CC Tuba New Yorker 1292, 5/4 compact, 5 Valves



The Miraphone Tuba New Yorker CC-1292 5V piston instrument is similar in design to the 1291, with the addition of a nickel silver bell garland and a smaller sized leadpipe to increase the dynamic potential of the instrument.

Along with the larger European mouthpiece receiver this tuba offers the performer even more control over the instrument.

|                       |   |
|-----------------------|---|
| Tuning                | C   |
| Size                  | 5/4 compact                               |
| Bell diameter         | 470 mm (18,504 inch)                      |
| Type of valve         | vented valves for pressure compensation   |
| Valve system          | piston valves (front-action)              |
| Style valve section   | 5th valve = rotary valve                  |
| Bore of valve section | conical 19,6- 21,2 mm (0,772- 0,835 inch) |
| Lyre holder           | without lyre holder                       |
| Strap ring            | without strap ring                        |
| Mouthpiece            | TU26                                      |
| Total height          | 925 mm / 36,417 inch                      |
| Total weight          | 10,70 kg / 23,59 lb                       |
| Case - Item No.       | 00351E360234                              |
| Gigbag- Item No.      | 00351G170103                              |

Fig.: 361292513000443

|                 |  |
|-----------------|--|
| 361292513000    | 5V / yellow brass body / lacquered                             |
| 361292515000    | 5V / yellow brass body / silver plated                         |
| 361292515000720 | 5V / yellow brass body / silver plated / incl. case and gigbag |

Please notice: All models include matched Miraphone mouthpieces and accessories kits. Cases and gigbags are extra.

# Professional Piston CC Tubas

## Miraphone CC Tuba 1293, 5/4 compact, 5 Valves



The Miraphone Tuba CC-1293 5V Piston is the newest addition to the popular 1291 series. It features a 19.685" bell and a larger 5th rotary valve than previous models. These changes make the tuba more responsive and extremely powerful in the low register.

The 1293 comes with both a medium and medium large leadpipe for a customizable feel and sound.

|                       |   |
|-----------------------|---|
| Tuning                | C   |
| Size                  | 5/4 compact                               |
| bell diameter         | 500 mm (19,685 inch)                      |
| Type of valve         | vented valves for pressure compensation   |
| Valve system          | piston valves (front-action)              |
| Style valve section   | 5th valve as big style                    |
| Bore of valve section | conical 19,6- 21,2 mm (0,772- 0,835 inch) |
| Lyre holder           | without lyre holder                       |
| Strap ring            | without strap ring                        |
| Mouthpiece            | TU26                                      |
| Total height          | 930 mm / 36,614 inch                      |
| Total weight          | 10,62 kg / 23,41 lb                       |
| Case - Item No.       | 00351E360235                              |
| Gigbag- Item No.      | 00351G360010                              |

Fig.: 361293513000

361293513000 5V / yellow brass body / lacquered  
361293513000700 5V / yellow brass body / lacquered / incl. case  
361293515000 5V / yellow brass body / silver plated

Please notice: All models include matched Miraphone mouthpieces and accessories kits. Cases and gigbags are extra.

# Professional CC Rotary and Piston Valve Tubas

## Specifications for Miraphone CC Rotary and Piston Valve Tubas

|  | bell                    | bore  | weight  | height                   | size                | valves | nickel<br>silver<br>wreath |
|--|-------------------------|---|---|--------------------------|---------------------|--------|----------------------------|
| Rotary Valve                                     |                         |   |   |                          |                     |        |                            |
| Miraphone Tuba CC 188                            | 450 mm<br>(17,717 inch) | 19,6 mm<br>(0,772 inch)                         | 9,82 kg / 21,65 lb                                | 960 mm /<br>37,795 inch  | 4/4<br>wide         | 5      | yes                        |
| Miraphone Tuba CC 186                            | 450 mm<br>(17,717 inch) | 19,6 mm<br>(0,772 inch)                         | 4V: 9,66 kg / 21,30 lb<br>5V: 10,06 kg / 22,18 lb | 1000 mm /<br>39,370 inch | 4/4                 | 4 or 5 | yes                        |
| Miraphone Tuba Bruckner<br>CC-291 5V             | 470 mm<br>(18,504 inch) | conical<br>20,4- 21,2 mm<br>(0,803- 0,835 inch) | 9,88 kg / 21,78 lb                                | 925 mm /<br>36,417 inch  | 5/4<br>com-<br>pact | 5      | no                         |
| Miraphone Tuba CC 184                            | 380 mm<br>(14,961 inch) | 18,0 mm<br>(0,709 inch)                         | 4V: 7,55 kg / 16,64 lb<br>5V: 7,90 kg / 17,42 lb  | 940 mm /<br>37,008 inch  | 1/2                 | 4 or 5 | yes                        |
| Piston Valve                                     |                         |   |   |                          |                     |        |                            |
| Miraphone Tuba CC-1291<br>5V Piston              | 470 mm<br>(18,504 inch) | conical<br>19,6- 21,2 mm<br>(0,772- 0,835 inch) | 10,52 kg / 23,19 lb                               | 925 mm /<br>36,417 inch  | 5/4<br>com-<br>pact | 5      | no                         |
| Miraphone Tuba New Yor-<br>ker CC-1292 5V Piston | 470 mm<br>(18,504 inch) | conical<br>19,6- 21,2 mm<br>(0,772- 0,835 inch) | 10,70 kg / 23,59 lb                               | 925 mm /<br>36,417 inch  | 5/4<br>com-<br>pact | 5      | yes                        |
| Miraphone Tuba CC-1293<br>5V Piston              | 500 mm<br>(19,685 inch) | conical<br>19,6- 21,2 mm<br>(0,772- 0,835 inch) | 10,62 kg / 23,41 lb                               | 930 mm /<br>36,614 inch  | 5/4<br>com-<br>pact | 5      | no                         |



# Professional Rotary F Tubas

## Miraphone F Tuba Firebird 281, 5/4 compact, 5 or 6 Valves



The Miraphone F-Tuba Firebird 281 is a compact 5/4 size rotary tuba with a good centered low C and an even low range.

This is a more compact sounding instrument than the 181 or 481, but has a great open sound and is ideal for the soloist and smaller orchestras.

|                       |  |
|-----------------------|--|
| Tuning                | F  |
| Size                  | 5/4 compact                                      |
| Bell diameter         | 400 mm (15,748 inch)                             |
| Lever system          | spiral spring system                             |
| Rod                   | Miraphone minibal rod                            |
| Type of valve         | vented valves for pressure compensation          |
| Valve system          | rotary valves                                    |
| Bore of valve section | conical 19,6- 21,2 mm (0,772- 0,835 inch)        |
| Lyre holder           | 5V: with lyre holder<br>6V: without lyre holder  |
| Strap ring            | 5V: with strap ring<br>6V: without strap ring    |
| Mouthpiece            | TU23   |
| Total height          | 905 mm / 35,630 inch                             |
| Total weight          | 5V: 7,82 kg / 17,24 lb<br>6V: 8,60 kb / 18,96 lb |
| Case - Item No.       | 00351E150180                                     |
| Gigbag- Item No.      | 00351G150100                                     |

Fig.: 150281C07000524

|                         |                 |   |
|-------------------------|-----------------|---|
| Firebird with 5 Valves: | 150281B07000004 | 5V / yellow brass body / lacquered                                |
|                         | 150281B07000204 | 5V / yellow brass body / lacquered / nickel silver wreath         |
|                         | 150281B11000004 | 5V / gold brass body / lacquered                                  |
|                         | 150281B11000204 | 5V / gold brass body / lacquered / nickel silver wreath           |
| Firebird with 6 Valves: | 150281C07000004 | 6V (4R/2L) / yellow brass body / lacquered                        |
|                         | 150281C07000504 | 6V (5R/1L) / yellow brass body / lacquered                        |
|                         | 150281C07000524 | 6V (5R/1L) / yellow brass body / lacquered / nickel silver wreath |
|                         | 150281C11000004 | 6V (4R/2L) / gold brass body / lacquered                          |
|                         | 150281C11000204 | 6V (4R/2L) / gold brass body / lacquered / nickel silver wreath   |
|                         | 150281C11000504 | 6V (5R/1L) / gold brass body / lacquered                          |
|                         | 150281C11000524 | 6V (5R/1L) / gold brass body / lacquered / nickel silver wreath   |

Please notice: All models include matched Miraphone mouthpieces and accessories kits. Cases and gigbags are extra.

# Professional Rotary F Tubas

## Miraphone F Tuba Elektra 481, 5/4, 5 or 6 Valves



Fig.: 150481C07001500

The Miraphone F-Tuba Elektra 481 sets a new standard in the tuba world and earned enthusiasm from all over the world. A well centered, core-focused sound with a solid low range.

The even and consistent tone color through the whole range and an exceptional pitch makes this tuba perfect for orchestras and soloists.

|                       |  |
|-----------------------|--|
| Tuning                | F  |
| Size                  | 5/4  |
| Bell diameter         | 420 mm (16,535 inch)                             |
| Lever system          | spiral spring system                             |
| Rod                   | Miraphone minibal rod                            |
| Valve system          | rotary valves                                    |
| Bore of valve section | conical 19,6- 21,2 mm (0,772- 0,835 inch)        |
| Type of valve section | 5th valve at the end of the valve section        |
| Lyre holder           | 5V: with lyre holder<br>6V: without lyre holder  |
| Strap ring            | 5V: with strap ring<br>6V: without strap ring    |
| Mouthpiece            | TU28   |
| Total height          | 960 mm / 37,795 inch                             |
| Total weight          | 5V: 8,00 kg / 17,64 lb<br>6V: 8,80 kg / 19,40 lb |
| Case - Item No.       | 00351E150181                                     |
| Gigbag- Item No.      | 00351G150102                                     |

Elektra with 5 Valves:

150481B07001  
150481B07001500  
150481B07021  
150481B11001  
150481B11001500  
150481B11021

5V / yellow brass body / lacquered  
5V (4R/1L) / yellow brass body / lacquered  
5V / yellow brass body / silver plated  
5V / gold brass body / lacquered  
5V (4R/1L) / gold brass body / lacquered  
5V / gold brass body / silver plated

Elektra with 6 Valves:

150481C07001  
150481C07001500  
150481C07001500720  
150481C07001700  
150481C07001720  
150481C07021  
150481C11001  
150481C11001500  
150481C11021  
150481C11021P10

6V (4R/2L) / yellow brass body/ lacquered  
6V (5R/1L) / yellow brass body/ lacquered  
6V (5R/1L) / yellow brass body / lacquered / incl. case and gigbag  
6V (4R/2L) / yellow brass body / lacquered / incl. case  
6V (4R/2L) / yellow brass body / lacquered / incl. case and gigbag  
6V (4R/2L) / yellow brass body / silver plated  
6V (4R/2L) / gold brass body / lacquered  
6V (5R/1L) / gold brass body / lacquered  
6V (4R/2L) / gold brass body / silver plated  
6V (4R/2L) / gold brass body / silver plated / gold plated small parts

Please notice: All models include matched Miraphone mouthpieces and accessories kits. Cases and gigbags are extra.

# Professional Rotary F Tubas

## Miraphone F Tuba Belcanto 181, 5/4, 5 or 6 Valves



The Miraphone F-Tuba Belcanto 181 is a symphonic instrument worthy of any professional player. It has a very open low range. The warm and round sound is typical for Miraphone tubas.

|                       |  |
|-----------------------|--|
| Tuning                | F  |
| Size                  | 5/4  |
| Bell diameter         | 420 mm (16,535 inch)                             |
| Lever system          | spiral spring system                             |
| Rod                   | Miraphone minibal rod                            |
| Type of valve         | vented valves for pressure compensation          |
| Valve system          | rotary valves                                    |
| Bore of valve section | conical 19,6- 21,2 mm (0,772- 0,835 inch)        |
| Lyre holder           | 5V: with lyre holder<br>6V: without lyre holder  |
| Strap ring            | 5V: with strap ring<br>6V: without strap ring    |
| Mouthpiece            | TU27   |
| Total height          | 955 mm / 37,598 inch                             |
| Total weight          | 5V: 8,20 kg / 18,08 lb<br>6V: 8,48 kg / 18,70 lb |
| Case - Item No.       | 00351E150176                                     |
| Gigbag- Item No.      | 00351G150100                                     |

Fig.: 150181C07000500

|                         |                 |  |
|-------------------------|-----------------|--|
| Belcanto with 5 Valves: | 150181B07000    | 5V / yellow brass body / lacquered         |
|                         | 150181B07000500 | 5V (4R/1L) / yellow brass body / lacquered |
|                         | 150181B11000    | 5V / gold brass body / lacquered           |
|                         | 150181B11000500 | 5V (4R/1L) / gold brass body / lacquered   |
| Belcanto with 6 Valves: | 150181C07000    | 6V (4R/2L) / yellow brass body / lacquered |
|                         | 150181C07000500 | 6V (5R/1L) / yellow brass body / lacquered |
|                         | 150181C11000    | 6V (4R/2L) / gold brass body / lacquered   |
|                         | 150181C11000500 | 6V (5R/1L) / gold brass body / lacquered   |

Please notice: All models include matched Miraphone mouthpieces and accessories kits. Cases and gigbags are extra.

# Professional Piston F Tubas

## Miraphone F Tuba Petruschka 1281, 5/4, 5 Valves



The F tuba 1281 Petruschka is a real “multi-talent”, easily lending itself to participation in every ensemble and offering all a tuba player could hope for, even in large orchestral settings. Despite its lean figure, the Petruschka produces a symphonic tone quality with enormous sound-carrying potential due to the large bore size of the piston valve section. Ergonomic proportions and a total height of only 85 cm (33.4 inches) allow for easy playability. For the soloist, this model is a dream leaving no wishes unfulfilled.

|                       |   |
|-----------------------|---|
| Tuning                | F   |
| Size                  | 5/4                                       |
| Bell diameter         | 420 mm (16,535 inch)                      |
| Type of valve         | vented valves for pressure compensation   |
| Valve system          | piston valves (front-action)              |
| Style valve section   | 5th valve = rotary valve                  |
| Bore of valve section | conical 19,6- 20,4 mm (0,772- 0,803 inch) |
| Lyre holder           | without lyre holder                       |
| Strap ring            | without strap ring                        |
| Mouthpiece            | TU27                                      |
| Total height          | 850 mm / 33,465 inch                      |
| Total weight          | 8,22 kg / 18,12 lb                        |
| Case - Item No.       | 00351E330100                              |
| Gigbag- Item No.      | 00351G330001                              |

Fig.: 331281513000

|                    |   |
|--------------------|---|
| 331281513000       | 5V / yellow brass body / lacquered  |
| 331281513000720    | 5V / yellow brass body / lacquered / incl. case and gigbag                                    |
| 331281515000       | 5V / yellow brass body / silver plated  |
| 331281515000100710 | 5V / yellow brass body / trigger on main tuning slide / silver plated / incl. gigbag          |
| 331281515000100720 | 5V / yellow brass body / trigger on main tuning slide / silver plated / incl. case and gigbag |
| 331281515000720    | 5V / yellow brass body / silver plated / incl. case and gigbag                                |

Please notice: All models include matched Miraphone mouthpieces and accessories kits. Cases and gigbags are extra.

# Professional Rotary EEb Tubas

## Miraphone EEb Tuba Norwegian Star 283, 5/4, 5 Valves



The Eb tuba 283 Norwegian Star impresses with its versatility as a professional instrument for the orchestral musician as well as for members of chamber groups and wind bands. This Eb tuba can easily replace a C tuba in smaller or middle-sized orchestras. A very even and constant response through the entire dynamic spectrum, with good intonation, brilliant and rich sound makes this tuba perfect for tuba players.

|                       |   |
|-----------------------|---|
| Tuning                | EEb                                       |
| Size                  | 5/4                                       |
| Bell diameter         | 400 mm (15,748 inch)                      |
| Lever system          | spiral spring system                      |
| Rod                   | Miraphone minibal rod                     |
| Valve system          | rotary valves                             |
| Bore of valve section | conical 19,6- 21,2 mm (0,772- 0,835 inch) |
| Lyre holder           | without lyre holder                       |
| Strap ring            | without strap ring                        |
| Mouthpiece            | TU17                                      |
| Total height          | 920 mm / 36,220 inch                      |
| Total weight          | 8,70 kg / 19,18 lb                        |
| Case - Item No.       | 00351E160010                              |
| Gigbag- Item No.      | 00351G150100                              |

Fig.: 160283B07000500

160283B07000500 5V / yellow brass body / lacquered  
160283B07020500 5V / yellow brass body / silver plated

Please notice: All models include matched Miraphone mouthpieces and accessories kits. Cases and gigbags are extra.

# Professional Rotary EEb Tubas

## Miraphone EEb Tuba Starlight 383, 4/4, 5 Valves



The Eb 383 Starlight tuba is equally perfect for brass ensembles, orchestras or for the solo performance. The cylindrical valve section of the Starlight with an 18mm (0,709 inch) bore diameter ensures a crystal clear articulation in all registers and allows for ease and flexibility of sound control.

Having the ability to master all performance situations with precision and success makes the Starlight 383 Eb tuba a brilliant choice for the professional musician.

|                       |                       |
|-----------------------|-----------------------|
| Tuning                | EEb                   |
| Size                  | 4/4                   |
| Bell diameter         | 380 mm (14,961 inch)  |
| Lever system          | spiral spring system  |
| Rod                   | Miraphone minibal rod |
| Valve system          | rotary valves         |
| Bore of valve section | 18,0 mm (0,709 inch)  |
| Lyre holder           | without lyre holder   |
| Strap ring            | without strap ring    |
| Mouthpiece            | TU21                  |
| Total height          | 920 mm / 36,220 inch  |
| Total weight          | 7,48 kg / 16,49 lb    |
| Case - Item No.       | 00351E160010          |
| Gigbag- Item No.      | 00351G150100          |

Fig.: 160383B07020204

160383B07000204 5V / yellow brass body / lacquered  
160383B07020204 5V / yellow brass body / silver plated

Please notice: All models include matched Miraphone mouthpieces and accessories kits. Cases and gigbags are extra.

# Professional Piston EEb Tubas

## Miraphone EEb Tuba M7050, 5/4, compensated



Fig.: 37M7050150006UK

With the M7050, Miraphone has crafted an Eb tuba that is especially designed for the specific needs of the brass band arena. Miraphone has already secured a prominent position for this model in the brass band scene.

As a member of the Ambassador family the M7050 captivates with its voluminous sound, while still allowing an ease of control. The Eb tuba M7050 Ambassador exhibits ergonomic handling and first-class response and intonation in all registers.

|                       |  |
|-----------------------|--|
| Tuning                | EEb                                      |
| Size                  | 5/4                                      |
| Bell diameter         | 480 mm (18,898 inch)                     |
| Valve system          | piston valves                            |
| Bore of valve section | conical 18,0- 18,8 mm (0,709- 0,74 inch) |
| Lyre holder           | with lyre holder                         |
| Strap ring            | with strap ring                          |
| Mouthpiece            | TU27                                     |
| Total height          | 900 mm / 35,433 inch                     |
| Total weight          | 10,12 kg / 22,31 lb                      |
| Case - Item No.       | 00351E370229                             |
| Gigbag- Item No.      | 00351G170103                             |

37M7050130006UK yellow brass body / lacquered  
37M7050150006UK yellow brass body / silver plated

Please notice: All models include matched Miraphone mouthpieces and accessories kits. Cases and gigbags are extra.

# Professional EEb and F Tubas

## Rotary and Piston Valves

### Specifications for Miraphone Professional F and EEb Tubas

|  | bell                    | bore  | weight   | height                  | size                | valves                   | nickel<br>silver<br>wreath |
|--|-------------------------|---|--|-------------------------|---------------------|--------------------------|----------------------------|
| F Tubas, Rotary                          |                         |   |  |                         |                     |                          |                            |
| Miraphone Tuba Firebird F 281            | 400 mm<br>(15,748 inch) | conical<br>19,6- 21,2 mm<br>(0,772- 0,835 inch) | 5V: 7,82 kg / 17,24 lb<br>6V: 8,60 kb / 18,96 lb | 905 mm /<br>35,630 inch | 5/4<br>com-<br>pact | 5 or 6                   | with or<br>without         |
| Miraphone Tuba Elektra F 481             | 420 mm<br>(16,535 inch) | conical<br>19,6- 21,2 mm<br>(0,772- 0,835 inch) | 5V: 8,00 kg / 17,64 lb<br>6V: 8,80 kg / 19,40 lb | 960 mm /<br>37,795 inch | 5/4                 | 5 or 6                   | no                         |
| Miraphone Tuba Belcanto F 181            | 420 mm<br>(16,535 inch) | conical<br>19,6- 21,2 mm<br>(0,772- 0,835 inch) | 5V: 8,20 kg / 18,08 lb<br>6V: 8,48 kg / 18,70 lb | 955 mm /<br>37,598 inch | 5/4                 | 5 or 6                   | no                         |
| F Tuba, Piston                           |                         |   |  |                         |                     |                          |                            |
| Miraphone Tuba Petruschka F 1281 5V      | 420 mm<br>(16,535 inch) | conical<br>19,6- 20,4 mm<br>(0,772- 0,803 inch) | 8,22 kg / 18,12 lb                               | 850 mm /<br>33,465 inch | 5/4                 | 5                        | no                         |
| EEb Tubas, Rotary                        |                         |   |  |                         |                     |                          |                            |
| Miraphone Tuba Norwegian Star EEb 283 5V | 400 mm<br>(15,748 inch) | conical<br>19,6- 21,2 mm<br>(0,772- 0,835 inch) | 8,70 kg / 19,18 lb                               | 920 mm /<br>36,220 inch | 5/4                 | 5                        | no                         |
| Miraphone Tuba Starlight EEb 383 5V      | 380 mm<br>(14,961 inch) | 18,0 mm<br>(0,709 inch)                         | 7,48 kg / 16,49 lb                               | 920 mm /<br>36,220 inch | 4/4                 | 5                        | yes                        |
| EEb Tuba, Piston                         |                         |   |  |                         |                     |                          |                            |
| Miraphone Tuba EEb M7050                 | 480 mm<br>(18,898 inch) | conical<br>18,0- 18,8 mm<br>(0,709- 0,74 inch)  | 10,12 kg / 22,31 lb                              | 900 mm /<br>35,433 inch | 5/4                 | c o m -<br>pensa-<br>ted | no                         |



# Professional Euphoniums

## Miraphone Euphonium 1258A, compensated



Fig.: 341258A13000

The 1258A Euphonium is at home in highly ranked symphonic wind orchestras and brass bands. With a clear and centered sound, thanks to a smaller bell diameter, this euphonium is also well suited for the soloist or smaller ensembles.

Due to the proven compensation system, intonation is exceptional throughout the range. The response is equally light and comfortable in the high register as well as the low register, while the high quality piston valves allow for smooth and effortless playability.

|                        |  |
|------------------------|--|
| Tuning                 | BBb                                      |
| Number of valves       | 4 (3R/1L)                                |
| Bell diameter          | 290 mm (11,417 inch)                     |
| Style of valve section | compensating                             |
| Valve system           | piston valves                            |
| Bore of valve section  | conical 15,5- 16,2 mm (0,61- 0,638 inch) |
| Drop catcher           | with drop catcher                        |
| Lyre holder            | with lyre holder                         |
| Strap ring             | without strap ring                       |
| Water key              | water key on 1st and 3rd valve slide     |
| Mouthpiece             | BT18                                     |
| Total height           | 675 mm / 26,575 inch                     |
| Total weight           | 4,45 kg / 9,81 lb                        |
| Case - Item No.        | 00351E340221                             |
| Gigbag- Item No.       | 00351G340100                             |

|                 |  |
|-----------------|--|
| 341258A13000    | yellow brass body / lacquered                  |
| 341258A13000700 | yellow brass body / lacquered / incl. case     |
| 341258A15000    | yellow brass body / silver plated              |
| 341258A15000700 | yellow brass body / silver plated / incl. case |

Please notice: All models include matched Miraphone mouthpieces and accessories kits. Cases and gigbags are extra.

# Professional Euphoniums

## Miraphone Euphonium M5000, compensated



Fig.: 34M500013000

The M5000 Bb euphonium is the same as the 1258A. The 3rd valve slide is positioned closer to the 1st branch for optimal and ergonomic operation of the 4th valve which works much better for players with smaller hands.

|                        |  |
|------------------------|--|
| Tuning                 | BBb                                      |
| Number of valves       | 4 (3R/1L)                                |
| Bell diameter          | 290 mm (11,417 inch)                     |
| Style of valve section | compensating                             |
| Valve system           | piston valves                            |
| Bore of valve section  | conical 15,5- 16,2 mm (0,61- 0,638 inch) |
| Drop catcher           | with drop catcher                        |
| Lyre holder            | with lyre holder                         |
| Strap ring             | without strap ring                       |
| Water key              | water key on 1st and 3rd valve slide     |
| Mouthpiece             | BT18                                     |
| Total height           | 675 mm / 26,575 inch                     |
| Total weight           | 4,45 kg / 9,81 lb                        |
| Case - Item No.        | 00351E340221                             |
| Gigbag- Item No.       | 00351G340100                             |

|                 |  |
|-----------------|--|
| 34M500013000    | yellow brass body / lacquered                  |
| 34M500015000    | yellow brass body / silver plated              |
| 34M500015000700 | yellow brass body / silver plated / incl. case |

Please notice: All models include matched Miraphone mouthpieces and accessories kits. Cases and gigbags are extra.

# Professional Euphoniums

## Miraphone Euphonium M5050, compensated



Fig.: 34M505015000E30

The Bb euphonium M5050 Ambassador Edition with its exclusive trimmings belongs undoubtedly to the upper echelon of the euphonium class, possessing a wonderful rich and clear tone with impeccable intonation.

The shorter mouthpiece receiver, made from heavier material, eliminates any loss of the player's embouchure efficiency on the way into the instrument. Concentrated air flow generates an increase in the projection potential of the euphonium as well as a tight, non-spreading sound throughout the dynamic spectrum. A reinforced bottom bow and first branch with the special protection cap results in the instrument having more stability and a more focused sound.

|                        |   |
|------------------------|---|
| Tuning                 | BBb   |
| Number of valves       | 4 (3R/1L)   |
| Bell diameter          | 310 mm (12,205 inch)  |
| Style of valve section | compensating  |
| Type of valve          | vented valves for pressure compensation                                 |
| Valve system           | piston valves   |
| Bore of valve section  | conical 15,5- 16,2 mm (0,61- 0,638 inch)                                |
| Drop catcher           | with drop catcher   |
| 4th valve position     | ergonomic handling of 4th valve (3rd valve slide closer to body)        |
| Lyre holder            | with lyre holder  |
| Strap ring             | without strap ring  |
| Type of mouthpipe      | heavy weight mouthpiece receiver  |
| Water key              | water key on 1st and 3rd valve slide                                    |
| Mouthpiece             | BT16  |
| Total height           | 670 mm / 26,378 inch  |
| Total weight           | without trigger: 4,70 kg / 10,36 lb<br>with trigger: 4,90 kg / 10,80 lb |
| Case - Item No.        | 00351E340221  |
| Gigbag- Item No.       | 00351G340100  |

|                    |   |
|--------------------|---|
| 34M505013000A10    | yellow brass body / lacquered   |
| 34M505013000A10700 | yellow brass body / lacquered / incl. case  |
| 34M505013000A30    | yellow brass body / trigger on main tuning slide, with protection guard / lacquered   |
| 34M505013000A30700 | yellow brass body / trigger on main tuning slide, with protection guard / lacquered / incl. case  |
| 34M505015000A10    | yellow brass body / silver plated   |
| 34M505015000A10700 | yellow brass body / silver plated / incl. case  |
| 34M505015000A30    | yellow brass body / trigger on main tuning slide, with protection guard / silver plated   |
| 34M505015000A30700 | yellow brass body / trigger on main tuning slide, with protection guard / silver plated / incl. case  |
| 34M505015000E10    | yellow brass body / model: Edition / gold plated small parts / silver plated  |
| 34M505015000E10700 | yellow brass body / model: Edition / gold plated small parts / silver plated / incl. case   |
| 34M505015000E30    | yellow brass body / model: Edition / trigger on main tuning slide, with protection guard / gold plated small parts / silver plated              |
| 34M505015000E30700 | yellow brass body / model: Edition / trigger on main tuning slide, with protection guard / gold plated small parts / silver plated / incl. case |

Please notice: All models include matched Miraphone mouthpieces and accessories kits. Cases and gigbags are extra.

# Professional Euphoniums

## Miraphone Euphonium 1255L, non-compensated



Fig.: 341255L13000

The Miraphone euphonium 1255L is a very easy playing instrument with good intonation, sound and response. First choice instrument for players who prefer a non-compensating instrument.

|                       |  |
|-----------------------|--|
| Tuning                | BBb                                      |
| Number of valves      | 4 (3R/1L)                                |
| Bell diameter         | 290 mm (11,417 inch)                     |
| Valve system          | piston valves                            |
| Bore of valve section | conical 15,5- 16,2 mm (0,61- 0,638 inch) |
| Drop catcher          | with drop catcher                        |
| Lyre holder           | with lyre holder                         |
| Strap ring            | without strap ring                       |
| Water key             | water key on 1st and 3rd valve slide     |
| Mouthpiece            | BT18                                     |
| Total height          | 675 mm / 26,575 inch                     |
| Total weight          | 4,30 kg / 9,48 lb                        |
| Case - Item No.       | 00351E340221                             |
| Gigbag- Item No.      | 00351G340100                             |

|              |                                   |
|--------------|-----------------------------------|
| 341255L13000 | yellow brass body / lacquered     |
| 341255L15000 | yellow brass body / silver plated |

Please notice: All models include matched Miraphone mouthpieces and accessories kits. Cases and gigbags are extra.

# Professional Euphoniums

## Specifications for Miraphone Euphoniums

|                                      | bell                    | bore  | weight  | height                  | valves          | style valve section  |
|--------------------------------------|-------------------------|---|---|-------------------------|-----------------|----------------------|
| Miraphone Euphonium 1258A            | 290 mm<br>(11,417 inch) | conical 15,5- 16,2 mm<br>(0,61- 0,638 inch) | 4,45 kg / 9,81 lb   | 675 mm /<br>26,575 inch | 4 valves (3R1L) | compensating         |
| Miraphone Euphonium M5000            | 290 mm<br>(11,417 inch) | conical 15,5- 16,2 mm<br>(0,61- 0,638 inch) | 4,45 kg / 9,81 lb   | 675 mm /<br>26,575 inch | 4 valves (3R1L) | compensating         |
| Miraphone Euphonium M5050 Ambassador | 310 mm<br>(12,205 inch) | conical 15,5- 16,2 mm<br>(0,61- 0,638 inch) | without trigger:<br>4,70 kg / 10,36 lb<br>with trigger:<br>4,90 kg / 10,80 lb | 670 mm /<br>26,378 inch | 4 valves (3R1L) | compensating         |
| Miraphone Euphonium 1255L            | 290 mm<br>(11,417 inch) | conical 15,5- 16,2 mm<br>(0,61- 0,638 inch) | 4,30 kg / 9,48 lb   | 675 mm /<br>26,575 inch | 4 valves (3R1L) | non-<br>compensating |



# Mouthpieces

| Model number | Article number | Cup form | Finish | Cup inner diameter |
|--------------|----------------|----------|--------|--------------------|
|--------------|----------------|----------|--------|--------------------|

## FOR TUBA

|          |                 |                |                            |                      |
|----------|-----------------|----------------|----------------------------|----------------------|
| TU03     | 00351M15TU03    | Medium deep    | silver plated              | 29,5 mm (1,161 inch) |
| TU05     | 00351M15TU05    | Deep           | silver plated              | 31,0 mm (1,220 inch) |
| TU07     | 00351M15TU07    | Medium shallow | silver plated              | 31,5 mm (1,240 inch) |
| TU09     | 00351M15TU09    | Medium deep    | silver plated              | 31,7 mm (1,248 inch) |
| TU11     | 00351M15TU11    | Medium         | silver plated              | 32,0 mm (1,260 inch) |
| TU13     | 00351M15TU13    | Medium shallow | silver plated              | 32,0 mm (1,260 inch) |
| TU15     | 00351M17TU15    | Medium deep    | silver plated              | 31,5 mm (1,240 inch) |
| TU17     | 00351M17TU17    | Medium deep    | silver plated              | 31,5 mm (1,240 inch) |
| TU18     | 00351M17TU18    | Deep           | silver plated              | 32,0 mm (1,260 inch) |
| TU19     | 00351M17TU19    | Medium deep    | silver plated              | 32,0 mm (1,260 inch) |
| TU21     | 00351M17TU21    | Medium deep    | silver plated              | 32,1 mm (1,264 inch) |
| TU23     | 00351M17TU23    | Medium deep    | silver plated              | 32,5 mm (1,280 inch) |
| TU25     | 00351M17TU25    | Deep           | silver plated              | 32,7 mm (1,287 inch) |
| TU25 001 | 00351M17TU25001 | Deep           | gold plated                | 32,7 mm (1,287 inch) |
| TU26     | 00351M17TU26    | Medium deep    | high grade stainless steel | 32,9 mm (1,295 inch) |
| TU27     | 00351M17TU27    | Medium shallow | silver plated              | 33,0 mm (1,299 inch) |
| TU28     | 00351M17TU28    | Medium shallow | silver plated              | 32,9 mm (1,295 inch) |
| TU29     | 00351M17TU29    | Deep           | silver plated              | 33,0 mm (1,299 inch) |
| TU31     | 00351M17TU31    | Medium deep    | silver plated              | 33,0 mm (1,299 inch) |
| TU33     | 00351M17TU33    | Deep           | silver plated              | 33,5 mm (1,319 inch) |
| TU38     | 00351M17TU38    | Deep           | silver plated              | 32,0 mm (1,260 inch) |
| TU39     | 00351M17TU39    | Deep           | gold plated                | 32,0 mm (1,260 inch) |
| TU41     | 00351M17TU41    | Deep           | gold plated                | 33,0 mm (1,299 inch) |
| TU42     | 00351M17TU42    | Deep           | silver plated              | 33,0 mm (1,299 inch) |
| TU43     | 00351M17TU43    | Deep           | silver plated              | 33,0 mm (1,299 inch) |

## FOR EUPHONIUM

|      |              |             |               |                      |
|------|--------------|-------------|---------------|----------------------|
| BT13 | 00351M34BT13 | Medium deep | silver plated | 25,2 mm (0,992 inch) |
| BT14 | 00351M34BT14 | Medium deep | silver plated | 25,5 mm (1,004 inch) |
| BT15 | 00351M34BT15 | Deep        | silver plated | 25,5 mm (1,004 inch) |
| BT16 | 00351M34BT16 | Deep        | silver plated | 26,2 mm (1,031 inch) |
| BT17 | 00351M34BT17 | Deep        | gold plated   | 25,5 mm (1,004 inch) |
| BT18 | 00351M34BT18 | Deep        | silver plated | 25,5 mm (1,004 inch) |
| BT19 | 00351M34BT19 | Deep        | silver plated | 26,0 mm (1,024 inch) |

| Cup outer diameter   | Cup depth            | Bore                | Shank size           | Old article model |
|----------------------|----------------------|---------------------|----------------------|-------------------|
| 46.1 mm (1.815 inch) | 36,4 mm (1,433 inch) | 7,0 mm (0,276 inch) | 13.3 mm (0.524 inch) | 1-M               |
| 47.9 mm (1.886 inch) | 42,7 mm (1,681 inch) | 8,2 mm (0,323 inch) | 13.3 mm (0.524 inch) | C-5               |
| 48.0 mm (1.890 inch) | 40,0 mm (1,575 inch) | 7,6 mm (0,299 inch) | 13.3 mm (0.524 inch) | 7-M               |
| 47.3 mm (1.862 inch) | 44,5 mm (1,752 inch) | 8,2 mm (0,323 inch) | 13.3 mm (0.524 inch) | C-2               |
| 48.0 mm (1.890 inch) | 34,4 mm (1,354 inch) | 7,0 mm (0,276 inch) | 13.3 mm (0.524 inch) | C-7               |
| 49.1 mm (1.933 inch) | 36,4 mm (1,433 inch) | 7,5 mm (0,295 inch) | 13.3 mm (0.524 inch) | C-8               |
| 48.0 mm (1.890 inch) | 37,9 mm (1,492 inch) | 7,5 mm (0,295 inch) | 13.3 mm (0.524 inch) | 2-M               |
| 48.0 mm (1.890 inch) | 41,0 mm (1,614 inch) | 8,0 mm (0,315 inch) | 13.3 mm (0.524 inch) | 3-M               |
| 48,0 mm (1.890 inch) | 45,2 mm (1,780 inch) | 8,3 mm (0,327 inch) | 13.3 mm (0.524 inch) |                   |
| 49.1 mm (1.933 inch) | 44,9 mm (1,768 inch) | 8,2 mm (0,323 inch) | 13.3 mm (0.524 inch) | 8-M               |
| 49.1 mm (1.933 inch) | 41,1 mm (1,618 inch) | 8,0 mm (0,315 inch) | 13.3 mm (0.524 inch) | C-3               |
| 50.0 mm (1.968 inch) | 36,9 mm (1,453 inch) | 7,5 mm (0,295 inch) | 13.3 mm (0.524 inch) | C-4               |
| 49.4 mm (1.944 inch) | 45,7 mm (1,799 inch) | 8,2 mm (0,323 inch) | 13.3 mm (0.524 inch) | C-9               |
| 49.4 mm (1.944 inch) | 45,7 mm (1,799 inch) | 8,2 mm (0,323 inch) | 13.3 mm (0.524 inch) |                   |
| 50.5 mm (1.988 inch) | 41,0 mm (1,614 inch) | 8,2 mm (0,323 inch) | 13.8 mm (0.543 inch) |                   |
| 50.0 mm (1.968 inch) | 37,9 mm (1,492 inch) | 8,2 mm (0,323 inch) | 13.3 mm (0.524 inch) | C-10              |
| 48.2 mm (1.897 inch) | 37,9 mm (1,492 inch) | 8,2 mm (0,323 inch) | 13.3 mm (0.524 inch) |                   |
| 48.2 mm (1.897 inch) | 44,1 mm (1,736 inch) | 8,2 mm (0,323 inch) | 13.3 mm (0.524 inch) | 5-M               |
| 48.0 mm (1.890 inch) | 42,3 mm (1,665 inch) | 8,3 mm (0,327 inch) | 13.3 mm (0.524 inch) | C-6               |
| 49.0 mm (1.929 inch) | 44,9 mm (1,768 inch) | 8,4 mm (0,331 inch) | 13.3 mm (0.524 inch) | 9-M               |
| 47.4 mm (1.866 inch) | 45,8 mm (1,803 inch) | 8,6 mm (0,339 inch) | 13.5 mm (0.531 inch) |                   |
| 47.4 mm (1.866 inch) | 45,8 mm (1,803 inch) | 8,6 mm (0,339 inch) | 13.5 mm (0.531 inch) |                   |
| 48.5 mm (1.909 inch) | 45,0 mm (1,772 inch) | 9,0 mm (0,354 inch) | 13.5 mm (0.531 inch) |                   |
| 48.5 mm (1.909 inch) | 45,0 mm (1,772 inch) | 9,0 mm (0,354 inch) | 13.5 mm (0.531 inch) |                   |
| 48.1 mm (1.894 inch) | 47,2 mm (1,858 inch) | 8,9 mm (0,350 inch) | 13.7 mm (0.539 inch) |                   |
| 39.1 mm (1.539 inch) | 30,8 mm (1,213 inch) | 7,0 mm (0,276 inch) | 12.7 mm (0.500 inch) | 1-N               |
| 39.1 mm (1.539 inch) | 30,0 mm (1,181 inch) | 6,8 mm (0,268 inch) | 12.7 mm (0.500 inch) |                   |
| 39.0 mm (1.535 inch) | 31,6 mm (1,228 inch) | 7,0 mm (0,276 inch) | 12.7 mm (0.500 inch) | PE-17             |
| 41.0 mm (1.614 inch) |                      | 7,4 mm (0,291 inch) | 12.7 mm (0.500 inch) |                   |
| 40.0 mm (1.575 inch) | 32,6 mm (1,283 inch) | 7,4 mm (0,291 inch) | 12.7 mm (0.500 inch) | 2-N               |
| 40.0 mm (1.575 inch) | 32,6 mm (1,283 inch) | 7,4 mm (0,291 inch) | 12.7 mm (0.500 inch) | 2-N               |
| 39.3 mm (1.547 inch) | 31,6 mm (1,244 inch) | 7,0 mm (0,276 inch) | 12.7 mm (0.500 inch) | 3-N               |

# Cases



Case for  
BBb tuba 91, 1291

Fig.: 00351E380233

| FOR TUBA                              | Article number | For Model                            | Netweight         |
|---------------------------------------|----------------|--------------------------------------|-------------------|
| Case for F-tuba 80                    | 00351E150173   | 150080                               | 23,8 lb (10.8 kg) |
| Case for F-tuba 81,181,381            | 00351E150176   | 150081 / 150181 / 150381             | 28,2 lb (12.8 kg) |
| Case for F-tuba 481 Elektra           | 00351E150181   | 150481                               | 28,4 lb (12.9 kg) |
| Case for F-tuba 1281 Petruschka       | 00351E330100   | 331281                               | 30,6 lb (13.9 kg) |
| Case for F-tuba Firebird              | 00351E150180   | 150281                               | 28,2 lb (12.8 kg) |
| Case for BBb-tuba 84                  | 00351E170183   | 170084                               | 29,3 lb (13.3 kg) |
| Case for BBb-tuba 282                 | 00351E170185   | 170282                               | 28 lb (12.7 kg)   |
| Case for BBb-tuba 86                  | 00351E170189   | 170086                               | 29,3 lb (13.3 kg) |
| Case for BBb-tuba 87                  | 00351E170192   | 170087                               | 29,1 lb (13.2 kg) |
| Case for BBb-tuba 289                 | 00351E170197   | 170289                               | 29,1 lb (13.2 kg) |
| Case for BBb-tuba 98B, 497            | 00351E170198   | 170098B / 170497                     | 33,1 lb (15.0 kg) |
| Case for BBb-tuba                     | 00351E380231   | 3812714 / 3812724                    |                   |
| Case for BBb-tuba piston valves M9000 | 00351E380232   | 39M9000                              | 26,0 lb (11.8 kg) |
| Case for BBb-tuba 91, 1291            | 00351E380233   | 170091 / 381291                      | 29,8 lb (13.5 kg) |
| Case for BBb-tuba 496 Hagen           | 00351E170203   | 170496                               | 30,9 lb (14 kg)   |
| Case for BBb-tuba 495 Hagen           | 00351E170204   | 170495                               | 31,3 lb (14,2 kg) |
| Case for CC-tuba 84                   | 00351E180183   | 180084                               | 29,3 lb (13,3 kg) |
| Case for CC-tuba 86                   | 00351E180204   | 180086                               | 28,9 lb (13,1 kg) |
| Case for CC-tuba 88                   | 00351E180206   | 180088                               | 27,8 lb (12.6 kg) |
| Case for CC-tuba 1291 compact         | 00351E360234   | 361291 / 361292 / 180291             | 29,5 lb (13.4 kg) |
| Case for CC-tuba 1293 piston valves   | 00351E360235   | 361293                               | 29,5 lb (13.4 kg) |
| Case for EEb-tuba 283, 383            | 00351E160010   | 160283 / 160383                      | 28 lb (12.7 kg)   |
| Case for EEb-tuba piston valves       | 00351E370229   | 37M7000 / 37M7050                    | 26,0 lb (11.8 kg) |
| FOR EUPHONIUM                         |                |                                      |                   |
| Case for Euphonium bell 310 mm        | 00351E340221   | 1258A / 1255L / 1254 / M5050 / M5000 | 13,9 lb (6.3 kg)  |



Case for  
BBb tuba 98 Siegfried  
and  
497 Hagen

Fig.: 00351E170197

| Height              | Width               | Length               |
|---------------------|---------------------|----------------------|
| 23,622 inch (60 cm) | 18,110 inch (46cm)  | 39,370 inch (100 cm) |
| 26,772 inch (68 cm) | 18,898 inch (48 cm) | 41,339 inch (105 cm) |
| 25,591 inch (65 cm) | 19,685 inch (50 cm) | 42,520 inch (108 cm) |
| 26,772 inch (68 cm) | 20,079 inch (51 cm) | 41,339 inch (105 cm) |
| 26,772 inch (68 cm) | 18,898 inch (48 cm) | 41,339 inch (105 cm) |
| 25,984 inch (66 cm) | 19,685 inch (50 cm) | 45,276 inch (115 cm) |
| 26,772 inch (68 cm) | 18,898 inch (48 cm) | 41,339 inch (105 cm) |
| 23,622 inch (60 cm) | 23,622 inch (60 cm) | 45,276 inch (115 cm) |
| 25,984 inch (66 cm) | 19,685 inch (50 cm) | 45,276 inch (115 cm) |
| 26,772 inch (68 cm) | 19,685 inch (50 cm) | 45,276 inch (115 cm) |
| 28,740 inch (73 cm) | 22,835 inch (58 cm) | 48,820 inch (124 cm) |
| 28,740 inch (73 cm) | 23,622 inch (60 cm) | 46,457 inch (118 cm) |
| 28,740 inch (73 cm) | 22,047 inch (56 cm) | 42,126 inch (107 cm) |
| 28,346 inch (72 cm) | 22,441 inch (57 cm) | 48,820 inch (124 cm) |
| 28,346 inch (72 cm) | 22,441 inch (57 cm) | 48,820 inch (124 cm) |
| 26,8 inch (68 cm)   | 20,1 inch (51 cm)   | 46,5 inch (118 cm)   |
| 26,8 inch (68 cm)   | 20,1 inch (51 cm)   | 46,5 inch (118 cm)   |
| 25,984 inch (66 cm) | 19,685 inch (50 cm) | 45,276 inch (115 cm) |
| 28,740 inch (73 cm) | 22,047 inch (56 cm) | 40.551 inch (103 cm) |
| 28,346 inch (72 cm) | 22,835 inch (58 cm) | 41,339 inch (105 cm) |
| 26,772 inch (68 cm) | 18,898 inch (48 cm) | 41,339 inch (105 cm) |
| 26,772 inch (68 cm) | 21,654 inch (55 cm) | 39,370 inch (100 cm) |
| 20,866 inch (53 cm) | 14,961 inch (38 cm) | 32,283 inch (82 cm)  |

# Gigbags



Fig.: 00351G150102

Gigbag for tuba



| FOR TUBA                                | Article Number | Bell Diameter        | For Instrument Height |
|---|----------------|----------------------|-----------------------|
| Gigbag for tuba bell <420 mm            | 00351G150100   | 420 mm / 16,54 inch  | 960 mm / 37.79 inch   |
| Gigbag for F- tuba Elektra bell <420 mm | 00351G150102   | 420 mm / 16,54 inch  | 980 mm / 38.58 inch   |
| Gigbag for F tuba                       | 00351G330001   | 420 mm / 16,54 inch  | 880 mm / 34.64 inch   |
| Gigbag for BBb/CC-tuba bell <470 mm     | 00351G170102   | 470 mm / 18,50 inch  | 1030 mm / 40.55 inch  |
| Gigbag for BBb/CC-tuba bell <480 mm     | 00351G170103   | 480 mm / 18,89 inch  | 930 mm / 36.61 inch   |
| Gigbag for BBb tuba bell <500 mm        | 00351G170104   | 500 mm / 19,69 inch  | 1020 mm / 40.15 inch  |
| Gigbag for BBb tuba M9000 bell <500 mm  | 00351G390100   | 500 mm / 19,685 inch | 1020 mm / 40.15 inch  |
| Gigbag for CC tuba bell <500 mm         | 00351G360010   | 500 mm / 19,69 inch  | 930 mm / 36.61 inch   |
| FOR EUPHONIUM                           |                |                      |                       |
| Gigbag for Bb euphonium bell <310 mm    | 00351G340100   | 310 mm / 12,205 inch | 690 mm / 27.16 inch   |



Gigbag for  
euphonium  
Bell < 12,205 inch



Fig.: 00351G340100

| Netweight     | For Model  | Type Instrument                          |
|---------------|--|--|
| 7,5 lb/3.4 kg | 150081 / 150181 / 150281 / 160283 / 160383 / 170282 / 180084 / 3812714 / 3812724 | Rotary Valve / Piston Valve Front-Action |
| 7,5 lb/3.4 kg | 150481   | Rotary Valve / Piston Valve Front-Action |
| 7,0 lb/3.2 kg | 331281 / 150080  | Rotary Valve / Piston Valve Front-Action |
| 8,4 lb/3.8 kg | 170495 / 170496 / 170289 / 170086 / 170087 / 180086 / 180088                     | Rotary Valve / Piston Valve Front-Action |
| 8,2 lb/3.7 kg | 170091 / 180291 / 361291 / 361292 / 37M7050 / 37M7000 / 381291                   | Rotary Valve / Piston Valve Front-Action |
| 8,8 lb/4.0 kg | 170497 / 170098B   | Rotary Valve / Piston Valve Front-Action |
| 8,8 lb/4.0 kg | 39M9000  | Piston Valve Top-Action                  |
| 8,2 lb/3.7 kg | 361293   | Rotary Valve / Piston Valve Front-Action |
| 4,9 lb/2.2 kg | 341258A / 341255L / 341254 / M5050 / M5000                                       | Piston Valve Top-Action                  |



Manufacturer of Brass Instruments  
Made in Germany

*Further information can be found on [www.miraphone.de](http://www.miraphone.de)  
Individualized preferences or customizations may be available upon request.*

**Miraphone eG**

Traunreuter Str. 8 · 84478 Waldkraiburg · GERMANY

Fon +49 8638 96820 · Fax +49 8638 82863

[info@miraphone.de](mailto:info@miraphone.de) · [www.miraphone.de](http://www.miraphone.de)

